| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|---|---------------------|---------|------------------|
| L1 | 335 | service with point with map | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 11:10 |
| L2 | 171 | 1 and @ad<"20000404" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 11:09 |
| L3 | 28 | service with point with map with address | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 11:09 |
| L4 | 14 | 3 and @ad<"20000404" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 11:10 |
| L5 | 196 | service adj (map table) with address | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 11:11 |
| L6 | 164 | 5 and @ad<"20000404" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 11:11 |
| L7 | 56 | service adj (map table) with address with server | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2006/09/28 11:13 |
| L8 | 49 | 7 and @ad<"20000404" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 11:13 |
| L9 | 29 | service adj (map table) with address with server with client | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 11:13 |
| L10 | 26 | 9 and @ad<"20000404" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 11:49 |

| | | | - | | | |
|-----|------|---|---|------|-----|------------------|
| L11 | 1281 | server with multiple with IP | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 11:49 |
| L12 | 980 | server with multiple with IP | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/28 11:49 |
| L13 | 121 | server with multiple adj IP | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/28 11:49 |
| L14 | 11 | 13.ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/28 11:49 |
| L15 | 0 | 14 and @ad<"20000404" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR · | ON | 2006/09/28 11:50 |
| L16 | 30 | 13 and @ad<"20000404" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 11:50 |
| S1 | 1193 | "service provider" with address | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:01 |
| S2 | 0 | ("service provider" with address) with "map or table or chart or lookup" | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/21 09:34 |
| S3 | 0 | (("service provider" with address) with (map or table or chart or lookup or list)) with manager | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 16:12 |
| S4 | 0 | (("service provider" with address) with (map or table or chart or lookup or list)) same manager | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/21 09:35 |
| S5 | 125 | ("service provider" with address) with (map or table or chart or lookup or list) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 16:13 |

| S6 | 0 | "service adj address" with (map or table or chart or lookup or list) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/21 09:40 |
|-----------|------|--|--|----|----|------------------|
| S7 | 0 | "service adj address" same (map or table or chart or lookup or list) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/21 09:40 |
| S8 | 126 | (service adj address) same (map or table or chart or lookup or list) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/21 09:41 |
| S9 | 60 | (service adj address) with (map or table or chart or lookup or list) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/21 09:54 |
| S10 | 5600 | (user or client) with access with (map or table or chart or lookup or list) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/21 09:56 |
| S11 | 7093 | (user or client) with access\$5 with (map or table or chart or lookup or list) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/21 09:56 |
| S12 | 19 | ((user or client) with access with (map or table or chart or lookup or list)) and ((service adj address) with (map or table or chart or lookup or list)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 13:06 |
| S13 | 21 | ((user or client) with access\$5 with (map or table or chart or lookup or list)) and ((service adj address) with (map or table or chart or lookup or list)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/21 09:56 |
| S14 | 3 | load with balanc\$6 with target with address | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 13:41 |
| S15 | 0 | load with balanc\$6 with target\$2 with removed | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 13:35 |
| S16 | 126 | load with balanc\$6 with target\$2 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 13:36 |

| S17 | 0 | load with balanc\$6 with "all possible" | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 13:37 |
|-----|-----|---|--|----|----|------------------|
| S18 | 0 | load with balanc\$6 with all | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 13:37 |
| S19 | 854 | load with balanc\$6 with possible | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 13:37 |
| S20 | 0 | load with balanc\$6 with all | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 13:38 |
| S21 | 13 | (load with balanc\$6 with target\$2) and (load with balanc\$6 with possible) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 13:38 |
| S22 | 60 | load with balanc\$6 with (select\$5 or choose) with service\$1 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 13:45 |
| S23 | 1 | (load with balanc\$6 with (select\$5 or choose) with service\$1) and (load with balanc\$6 with target\$2) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 13:45 |
| S24 | 2 | "service provider" with address with backup | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 13:55 |
| S25 | 0 | backup with address with alternate with provid\$6 with service | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 13:57 |
| S26 | 4 | backup with address with provid\$6 with service | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 13:56 |
| S27 | 2 | backup with alternate with provid\$6 with service | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 13:59 |
| S28 | Ó | backup with ("service provider" with address) with (map or table or chart or lookup or list) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 14:00 |

| | | <u></u> | | T | | |
|-----|-----|--|--|----|----|------------------|
| S29 | 125 | ("service provider" with address) with (map or table or chart or lookup or list) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 14:06 |
| S30 | 0 | (("service provider" with address) with (map or table or chart or lookup or list)) and alternat | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 14:00 |
| S31 | 38 | (("service provider" with address) with (map or table or chart or lookup or list)) and alternate | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 14:01 |
| S32 | 3 | (("service provider" with address) with (map or table or chart or lookup or list)) with alternate | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 14:01 |
| S33 | 9 | intermittently with generate with (map or table or chart or lookup or list) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 14:08 |
| S34 | 11 | (intermittent\$4 or period\$6) with generate with (map or table or chart or lookup or list) with service | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 14:08 |
| S35 | 1 | "5951694".pn. and address | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 14:34 |
| S36 | 0 | client with value with server with epoch | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 15:50 |
| S37 | 2 | client with server with epoch | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 15:51 |
| S38 | 24 | client with server with value with performance | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 15:51 |
| S39 | 1 | "5951694".pn. and performance | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 15:54 |
| S40 | 1 | "5951694".pn. and performance and backup | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 15:56 |

| S41 | 1 | "5951694".pn. and execut\$8 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 15:56 |
|-----|------|--|--|----|----|------------------|
| S42 | 1891 | map with topograph\$6 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 16:05 |
| S43 | 0 | map with topograph\$6 with client with service | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 16:05 |
| S44 | 10 | map with topograph\$6 with client | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 16:05 |
| S45 | 0 | "709"".""244".ccls. | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 16:12 |
| S46 | 81 | 709/244.ccls. | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 16:13 |
| S47 | 1110 | 370/359.ccls. | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 16:13 |
| S48 | 0 | 370/359.ccls. and ("service provider" with address) with (map or table or chart or lookup or list) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 16:16 |
| S49 | 0 | 370/359.ccls. and (("service provider" with address) with (map or table or chart or lookup or list)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 16:17 |
| S50 | 165 | 370/359.ccls. and ((map or table or chart or lookup or list)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/03/24 16:17 |
| S51 | 2 | "5951694".pn. | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/10/27 10:04 |
| S52 | 1 | "5951694".pn. and access\$5 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/10/27 10:04 |

| S53 | 1 | "5951694".pn. and (access\$5 with user) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/10/27 10:05 |
|-----|-------|---|--|----|-----|------------------|
| S54 | 1 | "5951694".pn. and (access\$5 with user with map) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/10/27 14:54 |
| S55 | 2 | "65209 4 2".pn. | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/10/27 10:26 |
| S56 | 0 | "5951694".pn. and (transfer\$5 with user with map) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/10/27 14:54 |
| S57 | 1 | "5951694".pn. and (transfer\$5 with gateway with map) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/10/27 14:54 |
| S58 | 0 | email with attachment with handler | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/10/29 09:56 |
| S59 | 9 | email with open\$4 with attachment | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/10/29 10:17 |
| S60 | 11558 | (email or e-,mail) with open\$4 with attachment same as URL | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/10/29 10:18 |
| S61 | 2 | (email or e-,mail) with open\$4 with attachment same URL | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/10/29 10:18 |
| S62 | 4 | (("6209125") or ("6237135")).PN. | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/30 12:35 |
| S63 | 17 | (("6209125") or ("6237135") or ("6256772") or ("6298353") or ("6324619") or ("6330006") or ("6438744") or ("6469578") or ("6490722")).PN. | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/30 12:37 |

| S64 | 58 | "0020249" | USPAT; EPO; JPO; | OR | ON | 2003/10/30 12:38 |
|-----|-------|---------------------------------|---|----|-----|------------------|
| | | | DERWENT; IBM_TDB | | | |
| S65 | 0 | "0020249" | US-PGPUB | OR | ON | 2003/10/30 12:38 |
| S66 | 4 | "0020249" | US-PGPUB; USPAT | OR | ON | 2003/10/30 12:38 |
| S67 | 23251 | shim | US-PGPUB; USPAT | OR | ON | 2003/10/30 12:38 |
| S68 | 2305 | shim | US-PGPUB | OR | ON | 2003/10/30 12:39 |
| 569 | 0 | (2001/0020249).CCLS. | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/30 12:39 |
| S70 | 1 | ("0020249").PN. | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/30 12:44 |
| S71 | 0 | ("shim.oref").PN. | US-PGPUB; USOCR | OR | OFF | 2003/10/30 12:46 |
| S72 | 0 | ("20010906.ad.").PN. | US-PGPUB; USOCR | OR | OFF | 2003/10/30 12:46 |
| S73 | 5944 | "20010906".ad. | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/10/30 12:46 |
| S74 | 0 | "shim.oref" | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/10/30 12:46 |
| S75 | 0 | "shim.oref" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/10/30 12:50 |
| S76 | 1 | ("20010020249").PN. | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/30 12:51 |
| S77 | 1665 | "service provider" with address | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:01 |

| | | | • | | , | |
|-----|---------|--|--|----|----|------------------|
| S78 | 0 | (service adj2 (map or list\$6) with client) same ("service provider" with address) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:01 |
| S79 | 207 | service adj2 (map or list\$6) with client | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:02 |
| S80 | 6 | (service adj2 (map or list\$6) with client) with dynamic\$6 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:02 |
| S81 | 6 | (service adj2 (map or list\$6) with client) with dynamic | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:03 |
| S82 | 332 | "service map" | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:03 |
| S83 | 46 | "service map" with client | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:19 |
| S84 | 1007352 | service adj\$1 list\$6 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:19 |
| S85 | 866 | service adj1 list\$6 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:19 |
| S86 | 85 | (service adj1 list\$6) with client | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:20 |
| S87 | 66 | ((service adj1 list\$6) with client) and @ad<"20000404" | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:20 |
| S88 | 1 | (service adj1 list\$6) with client with local\$6 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:21 |
| S89 | 1 | (service adj1 list\$6) with client with stored | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 15:10 |

| | | | | <u> </u> | | |
|-----|-----|---|---|----------|----|------------------|
| S90 | 0 | WO01084358 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/16 10:40 |
| S91 | 1 | marlatt with david | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/16 10:42 |
| S92 | 14 | Abjanic | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/16 10:42 |
| S93 | 71 | (service adj map) with client | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/09/08 16:07 |
| S94 | 71 | ((service adj map) with client) and ad<"19990618" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/09/08 16:01 |
| S95 | 37 | ((service adj map) with client) and @ad<"19990618" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/09/08 16:07 |
| S96 | 108 | (service adj list) with client | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/09/08 16:13 |
| S97 | 26 | ((service adj list) with client) and @ad<"19990618" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 11:09 |
| S98 | 45 | (service adj table) with client | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/09/08 16:13 |
| S99 | 24 | ((service adj table) with client) and @ad<"19990618" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/09/08 16:13 |

| 610 | | UEOF4 CO 4II | 110 000115 | 00 | ON | 2005/02/45 44 41 |
|----------|-----|---|---|----|-----|------------------|
| S10 0 | 2 | "5951694".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/16 11:11 |
| S10 1 | | S100 and service with (address or location) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/16 11:12 |
| S10 2 | . 1 | S100 and (address or location) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/16 11:12 |
| S10 3 | 2 | "6738382".pn. | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/17 16:19 |
| S10 4 | 2 | "5951694".pn. | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/21 09:51 |
| S10 5 | 1 | S104 and map | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/21 09:56 |
| S10 6 | 1 | S104 and (map with locat\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/21 10:57 |
| S10 7 | 45 | (("5,852,722") or ("5,901,352") or ("5,933,646") or ("6,067,568") or ("6,173,326") or ("6,215,855") or ("6,249,578") or ("6,285,983") or ("6,289,381") or ("6,381,742") or ("6,459,773") or ("6,463,079") or ("6,470,074") or ("6,529,511") or ("6,560,213") or ("6,560,704") or ("6,564,377") or ("6,636,329") or ("6,636,505") or ("6,640,239") or ("6,684,242")).PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 10:57 |
| S10 8 | 2 | ("6704927").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 10:58 |

| 212 | 467 | (11440400011 11400047611 1144000771 | LIC DCDLID. | O.D. | ON | 2005/00/12 12:05 |
|----------|-----|---|--|------|----|------------------|
| S10 9 | 167 | ("4184200" "4280176" "4432057" "4493024" "4799153" "4799156" "4800488" "4858117" "4899136" "4914571" "5079765" "5113499" "5140689" "5151989" "5187790" "5247676" "5257369" "5265250" "5291597" "5307490" "5321841" "5329619" "5341477" "5347632" "5371852" "5388255" "5396626" "5423003" "5434994" "5444848" "5455932" "5463625" "5473599" "5475819" "5491800" "5491817" "55491800" "5499342" "55530852" "5530852" "5544313" "5530852" "5544313" "5553239" "5553242" "5559969" "55564043" "5572643" "5596579" "5596744" "5608865" "5608803" "5617568" "5608803" "5617568" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/09/13 13:06 |
| S11 0 | 195 | "5617570" "5619632" "5650994" "5666519" "5675723" "5675796" "5696895" "5774668").PN. OR ("5951694"). URPN. ("service provider" with address) with (map or table or chart or | USPAT; EPO; JPO; | OR | ON | 2005/09/13 13:06 |
| S11 | 165 | lookup or list) S110 | DERWENT; IBM_TDB US-PGPUB; | OR | ON | 2005/09/13 13:06 |
| 1 | | | USPAT; USOCR | | | |
| S11 2 | 200 | (service adj address) same (map or table or chart or lookup or list) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 13:06 |
| S11 3 | 160 | S112 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/09/13 13:06 |
| S11 4 | 100 | (service adj address) with (map or table or chart or lookup or list) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 13:06 |
| S11 5 | 71 | S114 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/09/13 13:06 |

| S11 6 | 30 | ((user or client) with access with (map or table or chart or lookup or list)) and ((service adj address) with (map or table or chart or lookup or list)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 13:06 |
|----------|----|--|---|----|----|------------------|
| S11 7 | 30 | S116 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 13:06 |
| S11 8 | 3 | backup with alternate with provid\$6 with service | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 13:06 |
| S11 9 | 3 | S118 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 13:06 |
| S12 0 | 51 | (("service provider" with address) with (map or table or chart or lookup or list)) and alternate | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 13:06 |
| S12 1 | 51 | S120 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 13:06 |
| S12 2 | 2 | "5951694".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 13:06 |
| S12 3 | 1 | S122 and (address or location) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 13:06 |
| S12 4 | 1 | S123 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 13:06 |
| S12 5 | 10 | "9903036" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/28 14:24 |
| S12 6 | 0 | S125 and address | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/28 14:25 |

| | | | - | | | |
|----------|-----|--|---|----|----|------------------|
| S12 7 | 83 | client with routing with table with service | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/28 14:34 |
| S12 8 | 21 | S127 and @ad<"20000405" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/28 14:35 |
| S12 9 | 269 | client with access with list with service | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/28 14:34 |
| S13 0 | 269 | client with access with list with service with client | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/28 14:35 |
| S13 1 | 8 | client with access with list with service with table | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/28 14:35 |
| S13 2 | 8 | client with access with list with service with (table map) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/28 14:35 |
| S13 3 | 59 | client with access with (list map) with service with (table map) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/28 14:35 |
| S13 4 | 12 | S133 and @ad<"20000405" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/01 15:48 |
| S13 5 | 0 | access\$3 with address with "on client" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/28 18:54 |
| S13 6 | 0 | access\$3 with map with "on client" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/28 18:54 |

| | | | | | | |
|----------|-------|---|---|----|----|------------------|
| S13 7 | 0 | map with "on client" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/28 18:55 |
| S13 8 | 0 | map with "on the client" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/28 18:55 |
| S13 9 | 202 | locate\$2 with client with proxy | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/01 15:49 |
| S14 0 | 131 | S139 and @ad<"20000405" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/01 15:49 |
| S14 1 | 27 | locate\$2 with client with proxy with service | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/01 15:49 |
| S14 2 | 14 | S141 and @ad<"20000405" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/01 16:49 |
| S14 3 | 0 | bookmark with corresponding with address with browser | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/02 12:16 |
| S14 4 | 0 | bookmark with corresponding with browser | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/02 12:16 |
| S14 5 | 1330 | bookmark with browser | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/02 12:17 |
| S14 6 | 60770 | correspond\$6 with address | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/02 12:16 |

| S14 7 | 110 | S145 and S146 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/02 12:16 |
|----------|-----|-------------------------------|---|----|-----|------------------|
| S14 8 | 262 | S145 same client | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/02 12:17 |
| S14 9 | 30 | S148 and S146 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/02 12:17 |
| S15 0 | 6 | S149 and @ad<"19990618" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/02 12:18 |
| S15 1 | 38 | "6078960" | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/06 11:26 |
| S15 2 | 2 | "6078960".pn. | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/06 13:49 |
| S15 3 | 1 | S152 and services | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/06 13:49 |
| S15 4 | 1 | S152 and services | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/06 13:52 |
| S15 5 | 1 | S152 and service with address | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/06 13:52 |
| S15 6 | 1 | S152 and service with address | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/06 14:13 |
| S15 7 | 1 | S152 and request | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/06 14:38 |

| S15 8 | 0 | S152 and backup | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/06 14:38 |
|----------|---|----------------------|---|----|----|------------------|
| S15 9 | 0 | S152 and alternat | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/06 14:38 |
| S16 0 | 0 | S152 and alternate | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/06 14:39 |
| S16 1 | 1 | S152 and alternative | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/06 14:39 |
| S16 2 | 2 | "2001117932" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/06 14:52 |